
DART AEROSPACE LTD	Work Order:	24220
Description: Placard	Part Number:	D3268-1
<b>Dwg:</b> D3268 Rev. A	Qty:	<i>३</i> ० उट
		Page 1 of 1

Step	Location	Procedure	Ву	Date	Qty
1	DC	Issue Traveler	Al	05/09/12	30
2	PG	Issue P/O: NOBLE 23  D3268-1 Placard as per Dwg D3268  Material: White Letters on red adhesive back manufactured from 3M 7 MIL masking film # 8522CP or Avery IPM # 2031  Possible Supplier: Studio Lettrage  Material release note is required	AP	05/09/12	<i>3</i> 0
3	RG	Receive and Inspect for transit damage  Enure material release note is attached	DI	05/09/21	32
4	QC6	Inspect placards as per Dwg D3268	林	05/09/28	32
5	ST	Identify and Stock	CJ.	05/09/28	3ેે
6	AC		•	05.09.29	32
7	DC	Close W/O <sup>S</sup> .	(1)P	05/09/29	<b>3</b> 2

Rev	Date	Change	Revised By	Approved
Α	04.02.20	New issue	KJ/DS	#



# **Dart Aerospace Ltd**

W/O:	WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector

NCR:	· · · · · · · · · · · · · · · · · · ·		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification		Ι					
DATE	STEP	Section A	Initial Design Mgr	Action Description  Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector				
						:						

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	
NOTE: Date & initial all entries				QA: N/C Closed:	_ Date:
H:\forms\Quality Assurance\approved form	ıs\NCRWO revC				1.,.





DESIG	op	DRAWN BY	DART AEROSPACE LT HAWKESBURY, ONTARIO, CANADA	ΓD
CHEC	CED 11	APPROVED /	DRAWING NO.	REV. A
	91		D3268 s <sub>F</sub>	HEET 1 OF 1
DATE		,	TITLE	SCALE
04.0	2.05		PLACARD	1:1
Α		04 02 05	NEW ISSUE	




SHOP On -RET'URN 10 ENG INTTO ...

UNCONT ROLLE SUBJECT TO AMEND. ... WITHOUT NOTICE

WORK ORDER

NO. 24220



## D3268-1

MATERIAL: WHITE LETTERS ON RED ADHESIVE BACK

MANUFACTURED FROM 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031

### Job Costing Report

Dart Aerospace Ltd. Hawkesbury

Sep 08, 2005 07:37 am

Work Order No : 0024220

Project Name : D3268-1 Project For : WK537

Work Order Type : Main Main WO Number :

House Part Number: D3268-1 Description : Placard

Manufactured : Yes

Amount Req'd : 30
Amount Done : 0
Start Date : 09-07-05

Est Finish Date : 09-16-05

Act Finish Date :

Drawings Reqd : No Ok for Approval :

Approval Rec'd :

Department Code:

Burden Flags : NNNNNN

WO Status : Open

Invoice State : Not Invoiced

Invoice Date :

Invoice Number :

Invoice Amount: 0.00

Order Entry No :

OE Value : 0.00

Est Mark Up : 0.000% Actual Mark Up : 0.000%

\$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Posted	To Post
Material Cost	==:	0.00	0.00	0.00	0.00	0.00
Engineering Hours	:	0.00	0.00	0.00		
Engineering Cost	:	0.00	0.00	0.00	0.00	0.00
Production Hours	:	0.00	0.00	0.00		
Production Cost	:	0.00	0.00	0.00	0.00	0.00
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHead Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	0.00
CNC Hours	:	0.00	0.00	0.00		
CNC	:	0.00	0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		
Misc.	:	0.00	0.00	0.00	0.00	0.00
		========		======		
Burden	:	0.00	0.00	0.00		
		=======	========	======		
Total Cost	:	0.00	0.00	0.00		
Mark up	:	0.000	0.000			
Selling Cost	:	0.00	0.00			

		Estimated	Actual
Labour Hrs/Amount Done	:	0.00	0.00
Profits/(Loss)	:	0.00	0.00

### **Product Bulletin 8522**

31

Release F, Effective January 2003 Black bar in margin indicates a change

# Scotchcal <sup>™</sup> Opaque Imaging Media 8522

### **Description**

This media is specially formulated to dry quickly after printing. Production of outdoor weatherable and long-term indoor durable graphics is now easier than ever. Its changeable adhesive allows easy removal for up to one year.

#### **Advantages**

- Optimized for use with selected Epson Stylus Pro printers and Epson Archival inks.
- Optimized for use with selected HP DesignJet Printers and HP DesignJet Ink System UV or HP83UV Color Ink System
- For making opaque, laminated graphics that are outdoor weatherable and long-term indoor durable
- Media
  - For opaque (reflective) graphics
  - Changeable, easy to remove from warranted substrates up to 1 year later
  - Dries quickly after printing so the overlaminate can be applied almost immediately
  - Low slippage paper liner for superior tiling
- Overlaminates:
  - Provide additional UV (ultraviolet) and physical protection for making weatherable finished graphics
  - Available in luster and matte gloss
  - Adhesive allows for heat-assisted or cold-temperature lamination

### **Applications and Uses**

3M™ Scotchcal™ Changeable Opaque Imaging Media 8522 is intended only for ink jet printing and for use with the listed Compatible Products and Equipment and the following applications. Any other application is NOT warranted by 3M or covered by the worldwide 3M™ MCS™ Warranty unless 3M gives its prior written approval for the application.

- First surface images (the image is on top of the film) for opaque posters and signs, including:
  - Graphics for vans, personal vehicles, trucks and buses
  - Novelty posters
  - Retail and point-of-purchase displays
  - Information graphics such as maps and directories
  - Entertainment promotions in museums, zoos, parks, theatres, sports venues
  - Education and presentation graphics

- Legal and courtroom exhibits
- For flat or simple curved surfaces, with or without rivets, used in vertical (± 10°) applications

### Limitations of End Uses

The following uses and applications are specifically NOT warranted.

- Fleet applications in areas that use salt for winter road maintenance
- Application to non-warranted substrates, including wall-board
- Applications subjected to gasoline vapors or spills
- Application to corrugated or highly irregular surfaces or sharply raised areas
- Graphics applied to stainless steel, including stainless steel vehicles
- On flat surfaces with rivets, tenting of 4 to 10 mm around rivets may be expected; rivets may be cut around to eliminate tenting.

Note: Standard ink jet technology is water based. Water-based chemistry is susceptible to the extremes of heat and humidity. This is a factor in most product constructions on the market. Read the Fabrication, Shelf Life and Storage sections in this bulletin. Staying in the middle of these ranges always provides optimum performance.

# **Compatible Products and Equipment**

### Thermal Ink Jet Printing Systems

- Epson Stylus Pro 9500, Stylus Pro 10000 printer
  - Epson Archival Inks
- Epson Stylus Pro 10600 printer
  - Epson Archival Inks
- HP DesignJet Printers 2000 and 3000 series
  - HP DesignJet Ink System UV (pigment-based ink)
- HP DesignJet Printers 5000 series
  - HP83UV Color Ink System

### Overlaminates (required)

- 3M™ Luster Overlaminate 8519 (semi-gloss)
- 3M<sup>™</sup> Matte Overlaminate 8520

Note: For the full product names of the 3M products listed on this page, please see page 1.

### **Shelf Life and Storage**

- 3M<sup>™</sup> Scotchcal <sup>™</sup> Changeable Opaque Imaging Media 8522 has a shelf life of one year.
- Storage conditions (new and partially used rolls). For optimum performance, use the middle of these ranges:
  - Original packaging, including plastic wrap
  - Relative humidity of 20% to 80%
  - Temperature of 33° to 104°F (0° to 40°C)
  - Away from direct sunlight
- Do not stack unprotected rolls or lay sharp or heavy objects on them.

### **Health and Safety**

### Caution

When handling any chemical products, read the manufacturers' container labels and the Material Safety Data Sheets (MSDS) for important health, safety and environmental information.

To obtain MSDS sheets for 3M products:

- By fax, call 1-800-364-0768 in the US and Canada or 1-650-556-8417 for all other locations.
- Electronically, visit us at http://www.3M.com/msds.
- By mail, or in case of an emergency, call 1-800-364-3577 or 1-651-737-6501.

When using any equipment, always follow the manufacturers' instructions for safe operation.

# **Warranty and Limited Remedies**

3M™ MCS™ Warranty for Graphics Produced on HP DesignJet Printers and Epson Stylus Pro Printers

The following is made in lieu of all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose: We warrant graphics produced by a 3M Ink Jet Registered Fabricator made with imaging media 8522, printed on an approved HP thermal ink jet printer according to HP's recommendations or Epson Stylus Pro printer according to Epson's recommendations, overlaminated with 8519 or 8520, and applied to a Warranted Substrate according to 3M's recommendations. These

graphics are covered against failure caused by ultraviolet light, temperature extremes, pollution, and other elements.

If a graphic fails to perform in accordance with 3M product specifications within this time frame, 3M will replace the materials at no charge. These remedies are exclusive. In no case shall 3M be liable for any direct, indirect, or consequential damages, including any labor charges.

### 3M Related Literature

Listed below is related 3M technical literature that may be of interest. You may view and print these Bulletins from our Web site at www.scotchprint.com, or order them via our Faxon-Demand (FOD) system. Call one of these phone numbers to order the desired bulletins, and specify the FOD document number provided in the chart.

United States or Canada: 1-800-364-0768 International: 1-651-732-6506

Subject	Bulletin No.	FOD No.			
Product Bulletins		· · · · · · · · · · · · · · · · · · ·			
3M <sup>™</sup> Scotchcal <sup>™</sup> Overlaminate 8519 and 8520	8519/8520	4524			
Instruction Bulletins					
Making thermal ink jet graphics	4.23	6523			
Application, substrate selection, preparation and substrate-specific application techniques	5.1	7001			
Warranties		<del>'</del>			
Worldwide 3M™ MCS™ Warranty Packet (includes all Commercial Graphics MCS War		9503			
Worldwide 3M <sup>™</sup> MCS <sup>™</sup> Warranty Overview-Folder					

3M. Scotchcal and MCS are trademarks of 3M.
Epson and Stylus Pro are trademarks of Epson.
HP and DesignJet are tradenames of Hewlett Packard.
Sintra is a trademark of Swiss Aluminum Ltd.
Imron is a registered trademark of DuPont in the United States

#### **Bulletin Change Summary**

The Epson Stylus Pro Printers 9500, 10000 10600, and Epson Archival Inks have been added to this bulletin. Additional changes resulting from this addition are marked with black bars in the margin.

**3M** 

Commercial Graphics Division

3M Center, Building 220-6W-06 PO Box 33220 St. Paul, MN 55133-3220 USA General Info. 1-800-374-6772 Technical Info. 1-800-328-3908 Fax 1-651-736-4233 3M Canada P.O. Box 5757 London, Ontario Canada N6A 4T1 1-800-265-1840 Fax 519-452-6245 3M México, S.A. de C.V. Av. Santa Fe No. 55 Col. Santa Fe, Del. Alvaro Obregón México, D.F. 01210 52-55-52-70-04-00 Fax 52-55-52-70-22-77 3M Puerto Rico, Inc. Puerto Rico Industrial Park P.O. Box 100 Carolina, PR 00986-0100 787-620-3000 Fax 787-750-3035

Fax-on-Demand 1-800-364-0768 US/Canada or 1-651-732-6506 International Fax-on-Demand document: 4506 www.scotchprint.com